



Weighing Technology

A Higher Level of Precision...A Higher Level of Performance

GS
SERIES

All Stainless Steel Toploading Scale

- Heavy Duty
- Ideal Portion Weigher



Manufactured by an ISO 9001 certified company.



Model	GS-1200	GS-3000	GS-6000	GS-12K
Capacity	1,200 g / 2.64 lb	3,000 g / 6.6 lb	6,000 g / 13.2 lb	12 kg / 26.4 lb
Readability	0.2 g / 0.0005 lb / 0.01 oz	0.5 g / 0.001 lb / 0.02 oz	1 g / 0.002 lb / 0.05 oz	0.002 kg / 0.005 lb / 0.1 oz
Divisions	6,000			
Weighing Units / Functions	g, lb, lb : oz / accumulation			kg, lb, lb : oz / accumulation
Stabalization Time (seconds)	< 1.5			
Tare Range	To capacity by subtraction			
Power Source	Built-in rechargeable battery or external power adapter (included)			
Construction	Stainless steel pan and housing			
Display	0.75 inch / 19 mm wide viewing angle backlit LCD			
Pan Size (W x D)	8.25 x 8.25 inches / 210 x 210 mm			
Dimensions (W x D x H)	9.1 x 12.2 x 3 inches / 230 x 310 x 75 mm			
Operating Environment	32° ~ 104° F non condensing R.H. ≤ 85%			
Net Weight	8.15 lb / 3.7 kg			
Shipping Weight	12.3 lb / 5.6 kg			
NEMA/IP Rating	IP 65			

GS Series



Features

- All stainless steel housing and pan
- Heavy duty construction
- Sealed electronics
- Low profile, compact size
- Reads in grams, pounds and pounds: ounces
- Built-in rechargeable battery or external power adapter
- Accumulation function
- Zero tracking
- Automatic power save
- Low battery indicator
- Easy calibration function
- Adjustable stainless steel feet with rubber inserts
- Wide-angle LCD display with backlight

Benefits

- Easy to clean for food processing or harsh environments
- Will withstand harsh industrial operation
- Improved water and dust resistance
- Uses less counter space
- Flexibility of operation
- Portability - battery lasts a minimum of 150 hours (without backlight)
- Allows you to add together consecutive weights to arrive at a total
- Ensures that you always start weighing at zero
- Conserves battery power
- Alerts you to charge the battery, saving downtime
- Ensures accuracy
- Scale remains level for accurate results on uneven working surfaces - Anti-slip
- Can be seen from a wide viewing range

Note: Not a washdown scale