



Weighing Technology

A Higher Level of Precision...A Higher Level of Performance

PS2
SERIES

Stainless Steel Washdown Bench Scale

- Large Backlit Display
- Rechargeable Battery
- Heavy Duty Construction



Manufactured by an ISO 9001 certified company.



Model	PS2-3000 *	PS2-6000	PS2-12K	PS2-30K
Capacity	3,000 g / 6.6 lb	6,000 g / 13.2 lb	12 kg / 26.4 lb	30 kg / 66 lb
Readability	0.5 g / 0.001 lb / 0.05 oz	1 g / 0.002 lb / 0.05 oz	0.002 kg / 0.005 lb / 0.1 oz	0.005 kg / 0.01 lb / 0.2 oz
Divisions	6,000			
Weighing Units / Functions	g, lb, lb : oz (*PS2-3000 also available in grams, ounces only) / accumulation			
Stabalization Time (seconds)	< 1.5			
Tare Range	To capacity by subtraction			
Power Source	Built-in rechargeable battery or external power adapter (included)			
Construction	Stainless steel indicator, base and load cell			
Display	1 inch / 25.4 mm wide viewing angle LCD with backlight			
Pan Size (W x D x H)	11 x 13 x 3.7 inches / 280 x 330 x 95 mm			
Dimensions (W x D x H)	11 x 13 x 17.9 inches / 280 x 330 x 455 mm			
Operating Environment	32° ~ 104° F non condensing R.H. ≤ 85%			
Net Weight	15.6 lb / 7.1 kg			
Shipping Weight	19 lb / 8.6 kg			21 lb / 9.5 kg
NEMA/IP Rating	IP 65			

PS2 Series



Features

- All Stainless steel platform, pillar, indicator, load cell and base
- Heavy duty construction
- Sealed electronics
- Low profile
- Reads in grams, pounds and pounds : ounces
- Built-in rechargeable battery or external power adapter
- Accumulation function
- Zero tracking
- Automatic power save
- Low battery indicator / charge status indicator
- Easy calibration function
- Adjustable stainless steel feet with rubber inserts
- Wide-angle LCD display with backlight
- Gravitational correction software

Benefits

- Easy to clean for food processing or harsh environments / washdown resistant
- Will withstand harsh industrial operation
- Improved water and dust resistance
- Easy to load and unload platform only 3.74 inches / 95 mm high
- Flexibility of operation
- Portability - battery lasts a minimum of 100 hours
- Allows you to add together consecutive weights to arrive at a total
- Assures that you always start weighing at zero
- Conserves battery power
- Alerts you to charge the battery, saving downtime
- Ensures accuracy
- Balance remains level for accurate results on uneven working surfaces - Anti-slip
- Can be seen from a wide viewing angle
- Enables you to input different G acceleration factors